




파이프라인 세팅 - 전체 구성



파이프라인 세팅 - 전체 구성





java

DatabaseController.java
Database.java

ip, port, username, pw

resource

application-**dev**.yaml ip: 10.10.10.1 Readiness
 application-**qa**.yaml ip: 10.10.10.2 Liveness
 application-**prod**.yaml ip: 10.10.10.3

deploy

docker Dockerfile
 helm tomcat

Artifact HUB

helm chart

values-**dev**.yaml env: dev
 values-**qa**.yaml env: qa
 values-**prod**.yaml env: prod

kubectl ns-**dev**.yaml
 ns-**qa**.yaml
 ns-**prod**.yaml

dev project

빌드 빌드 배포

app .war app .war namespace

docker docker ns-**dev**.yaml

tomcat helm values-**dev**.yaml

qa project

빌드 빌드 배포

app .war app .war namespace

docker docker ns-**qa**.yaml

tomcat helm values-**qa**.yaml

prod project

빌드 빌드 배포

app .war app .war namespace

docker docker ns-**prod**.yaml

tomcat helm values-**prod**.yaml

dev namespace

env: dev

app application-**dev**.yaml

Pod

Get DB API

qa namespace

env: qa

app application-**qa**.yaml

Pod

prod namespace

env: prod

app application-**prod**.yaml

Pod